

Manual Release Push Button
(with illuminated push button and lead sealable protective cap)
Type: MR 289.2.3

All rights strictly reserved except when stipulated otherwise expressly by contract. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietors.

1. Technical Data

Dimensions (L x W x H): (with cable gland)	152 mm x 80 mm x 88 mm
Housing material:	aluminum
Paint finish:	RAL 1003 (signal yellow)
Weight:	approx. 0.5 kg
Housing protection:	IP 54
Operating temperature range:	-20°C to +60°C
Cable gland:	EMC cable gland, metric, with ground application according to DIN 89 345 and strain relief as specified in according to EN 50 262 category A, vibration-tested. 1 x M16 x 1.5 for cable diameters from 4.5 mm to 10 mm
or by appointment:	1 x M18 x 1.5 (VG 88773)
P/N:	80 584

2. Electrical Data

Max. contact load:	30 V DC / 1A
LED red:	28 V DC / 20mA



Alle Rechte, soweit nicht vertraglich anders vereinbart, sind ausdrücklich vorbehalten. Vervielfältigung oder Mitteilung an Dritte, gleichgültig in welcher Form, ist ohne schriftliche Genehmigung des Eigentümers nicht gestattet.

Date

10/17/2011

Version

2/W.HR

EGON HARIG GmbH
Gewerbering 4 • D-22113 Oststeinbek
Tel./Phone: +49 (0)40 713752-0
Telefax: +49 (0)40 713752-24
E-Mail: egonharig@egonharig.de
www.egonharig.de www.flamtron.de

Datasheet No

4.06048.1-1

Page 1 of 1